

From Carbon to Composites: Evolution and Trends in Supercapacitor Technology

Sneha N. Tambat¹, Dinesh J. Ahirrao^{2,*}, Bhushan Garade³, Rajesh Kumar⁴

Abstract

Supercapacitors, also referred to as ultracapacitors, have become a crucial component in the landscape of energy storage technologies. They effectively bridge the gap between conventional capacitors and batteries, offering unique advantages such as high power density, rapid charge/discharge rates, and exceptional cycle life. These characteristics make supercapacitors indispensable for a wide range of applications, including consumer electronics, automotive systems, and renewable energy systems. This comprehensive review explores the evolution of supercapacitor technology, tracing its development from the initial use of traditional carbon-based materials to the integration of advanced composite materials. We delve into the latest advancements in supercapacitor technology, examining innovations in electrode materials, electrolytes, and device architecture that have significantly enhanced performance metrics such as energy density and operational stability. The review also addresses the various challenges facing the field, such as the need for cost-effective manufacturing processes, the development of environmentally friendly materials, and the improvement of energy storage capacity to meet the demands of emerging applications. In addition, we discuss future directions for supercapacitor research and development, emphasizing the potential of nanomaterials, hybrid systems, and novel fabrication techniques to drive further improvements in performance and scalability. By providing a thorough overview of current trends and technological breakthroughs, this review aims to offer valuable insights for researchers and industry professionals working to advance the capabilities of supercapacitors. Through this analysis, we highlight the transformative impact of supercapacitors on energy storage solutions and their critical role in supporting the transition to more efficient and sustainable energy systems. This review underscores the importance of ongoing innovation and interdisciplinary collaboration in overcoming existing limitations and unlocking the full potential of supercapacitor technology for future applications.

Keywords: Carbon, composite, supercapacitors, energy storage, nanomaterials

*Author for Correspondence

Dinesh J. Ahirrao

E-mail: Dineshahirrao3@gmail.com

¹Assistant Professor, Department of Chemistry, Sandip University, Trimbak Road, Nashik, Maharashtra, India

²Assistant Professor, Department of Physics, Rajarshi Shahu Arts, Commerce, and Science College, Pathri, Tq. Phulambri, Dist. Chh. Sambhajinagar (Aurangabad), Maharashtra, India

³Assistant Professor, School of Science, Sandip University Nashik, Maharashtra, India

⁴Assistant Professor, Department of Mechanical Engineering, Sandip University Sijoul, Bihar, India

Received Date: May 14, 2024

Accepted Date: July 20, 2024

Published Date: August 08, 2024

Citation: Sneha N. Tambat, Dinesh J. Ahirrao, Bhushan Garade, Rajesh Kumar. From Carbon to Composites: Evolution and Trends in Supercapacitor Technology. Journal of Polymer & Composites. 2024; 12(6): S61–S67p.

INTRODUCTION

Energy storage technology is a cornerstone of modern electronics, enabling the operation of a vast array of devices and systems that are integral to daily life. As society increasingly relies on portable electronics, renewable energy systems, and electric vehicles, the demand for efficient, reliable, and high-performance energy storage solutions has never been greater. Traditionally, batteries have dominated the energy storage landscape due to their high energy density, but they come with significant limitations, including relatively short cycle life and slower charge/discharge rates [1,2].

Supercapacitors, which are also referred to as ultracapacitors or electrochemical capacitors,

provide a tempting option that can either replace or work alongside batteries [3]. These devices have the capability to store and distribute energy at significantly higher power densities compared to batteries, owing to their distinctive energy storage method. Supercapacitors differ from batteries in that they store energy through electrostatic means rather than chemical reactions. This allows for quick charging and discharging, as well as a much longer lifespan. These batteries are well-suited for applications that necessitate rapid energy release and frequent charging and discharging, such as regenerative braking in electric vehicles, power stabilization in renewable energy systems, and backup power in consumer devices [4, 5].

The development of supercapacitor technology has been a dynamic field, marked by significant advancements in material science. Early supercapacitors were primarily based on activated carbon due to its high surface area, which is critical for maximizing energy storage in electric double-layer capacitors (EDLCs). However, the pursuit of higher energy and power densities has driven the exploration of advanced materials, including carbon nanotubes (CNTs), graphene, transition metal oxides, and conducting polymers.

The transition from traditional carbon-based materials to advanced composites represents a pivotal evolution in supercapacitor technology. Advanced composites, which combine different materials at the nanoscale, offer synergistic properties that enhance overall device performance. For instance, integrating carbon materials with metal oxides or conducting polymers can simultaneously achieve high surface area, excellent electrical conductivity, and significant pseudocapacitance, leading to supercapacitors with both high power and energy densities.

The purpose of this paper is to offer a thorough examination of the development and present patterns in supercapacitor technology. We shall analyze the chronological progression of supercapacitors, with a specific emphasis on crucial advancements in the field of material science. Next, the conversation will focus on the most recent progress in composite materials, emphasizing their contribution to obtaining exceptional performance metrics. Lastly, we will tackle the obstacles that hinder the commercialization of improved supercapacitors and explore potential future paths for this promising topic [6].

HISTORICAL PERSPECTIVE

Early Developments

The origin of the supercapacitor may be traced back to the 1950s, and the first functional devices emerged in the 1970s. The initial supercapacitors, referred to as electric double-layer capacitors (EDLCs), employed activated carbon as the electrode material because of its substantial surface area. Activated carbon's expansive surface area facilitates the creation of a significant electric double layer, enabling the electrostatic storage of energy [7–9]. Initially, these devices were predominantly employed in specialized areas, such as serving as a means of storing data in electronic circuits, because of their restricted ability to store energy.

Breakthroughs in Carbon Materials

The period between the 1990s and early 2000s saw notable progress in supercapacitor technology due to the identification and refinement of carbon nanotubes (CNTs) and graphene. Carbon nanotubes (CNTs), which were first identified by Iijima in 1991, and graphene, which was isolated by Geim and Novoselov in 2004, possess enhanced electrical conductivity, mechanical strength, and surface area in comparison to conventional activated carbon. These characteristics facilitated the development of supercapacitors with increased capacitance and energy density. The distinctive one-dimensional configuration of carbon nanotubes (CNTs) and the two-dimensional configuration of graphene offer exceptional conduits for electron conduction and ion permeability, rendering them highly suitable for supercapacitor electrodes with superior performance [10].

ADVANCES IN MATERIAL SCIENCE

Carbon Nanotubes and Graphene

Supercapacitor technology has been significantly transformed by the introduction of carbon nanotubes and graphene. Carbon nanotubes (CNTs) are composed of graphene sheets that are rolled up to create cylindrical structures with high aspect ratios. Nanotubes possess superior electrical conductivity, exceptional mechanical characteristics, and a substantial specific surface area, all of which are crucial for the optimal functioning of high-performance supercapacitors. Graphene is composed of a single layer of carbon atoms that are arranged in a two-dimensional honeycomb lattice structure. This unique arrangement gives graphene a larger surface area and remarkable electrical conductivity. The unique characteristics of graphene make it a very suitable choice for electrodes in supercapacitors. Nevertheless, the extensive utilization of carbon nanotubes (CNTs) and graphene has been hindered by obstacles such as exorbitant manufacturing expenses and the complexities associated with attaining consistent material quality [11, 12].

Continued research is being conducted to create production methods for these materials that are both scalable and cost-effective. Methods like chemical vapor deposition (CVD) and liquid-phase exfoliation are being improved to create top-notch carbon nanotubes (CNTs) and graphene at reduced expenses. In addition, scientists are investigating the potential of graphene oxide (GO) and reduced graphene oxide (rGO) as substitutes for pristine graphene. These materials may be manufactured with more ease and provide similar levels of performance [13].

Transition Metal Oxides and Conducting Polymers

In order to increase energy densities, scientists have investigated materials with pseudocapacitance properties, such as transition metal oxides (for example, RuO₂ and MnO₂) and conducting polymers (such as polyaniline and polypyrrole). These materials utilize faradaic processes to store charge, which entail the transfer of electrons and lead to higher energy densities compared to storage systems based only on electrostatics. Transition metal oxides exhibit high capacitance and energy density, but frequently experience inadequate electrical conductivity and short cycle life. Conversely, conducting polymers offer pliability and may be readily molded into different forms, although they also encounter difficulties with stability and conductivity [14].

Researchers have developed strategies to address these challenges, such as combining transition metal oxides with conductive carbon materials to improve conductivity and stability. For example, MnO₂ can be deposited onto CNTs or graphene, creating a composite material that leverages the high capacitance of MnO₂ and the excellent conductivity of the carbon substrate. Similarly, conducting polymers can be combined with carbon materials to enhance their electrical properties and cycle stability.

Composite Materials: The Next Generation

Hybrid Supercapacitors

Hybrid supercapacitors combine the benefits of EDLCs and pseudocapacitors by integrating carbon materials with metal oxides or conducting polymers. This synergy results in devices with both high power and energy densities. Examples include graphene-MnO₂ composites and CNT-polyaniline hybrids. These hybrid materials leverage the high surface area and conductivity of carbon-based materials and the high pseudocapacitance of metal oxides or conducting polymers. For example, graphene-MnO₂ composites exhibit high capacitance due to the MnO₂, while maintaining good conductivity and mechanical integrity thanks to the graphene scaffold [15].

Nanostructured Composites

The utilization of nanostructuring techniques has significantly improved the efficiency of supercapacitor materials. Through the development of nanoscale structures, scientists can optimize the amount of surface area available and enhance the movement of ions, resulting in increased capacitance

and quicker rates of charging and discharging. Commonly employed techniques include electrospinning, template-assisted synthesis, and chemical vapor deposition. These techniques provide meticulous manipulation of the structure of the material at the nanoscale, facilitating the enhancement of features tailored for particular uses. An example of this is the utilization of nanostructured MnO₂ that is applied onto carbon nanotubes or graphene, which offers a large surface area for the storage of ions and facilitates fast electron transfer paths.

Advanced Carbon Materials

In addition to carbon nanotubes (CNTs) and graphene, researchers have also investigated various types of carbon materials, including carbon aerogels, carbon onions, and mesoporous carbons. These materials provide distinctive structural characteristics that can further optimize the functionality of supercapacitors. Carbon aerogels, for example, have a three-dimensional structure that has a large surface area and low density, making them perfect for applications involving energy storage. Carbon onions, composed of concentric layers of graphene, possess excellent electrical conductivity and a large surface area. Mesoporous carbons possess adjustable pore diameters, which enhance the effectiveness of ion transportation and storage.

APPLICATIONS OF SUPERCAPACITORS

Consumer Electronics

Supercapacitors are increasingly common in consumer electronics, especially in situations where rapid charging and discharging are required, such as in portable devices, power tools, and backup power supplies. Thanks to their ability to deliver quick bursts of energy, they are ideal for these demanding high-power activities. Supercapacitors are used in smartphones to enhance flash photography by providing the necessary power for the camera's flash. Moreover, they are employed in power tools to deliver a significant power output for short durations, hence improving performance and efficiency.

Renewable Energy Systems

Supercapacitors are employed in renewable energy systems to reduce power fluctuations and provide temporary energy storage. They are particularly advantageous in solar and wind power systems, where energy output can vary greatly. Supercapacitors enhance grid stability by storing excess energy produced during peak periods and releasing it during periods of low production. This feature enhances the reliability and efficiency of renewable energy systems, facilitating their integration into the power grid.

Transportation

The transportation sector, particularly electric and hybrid vehicles, benefits significantly from supercapacitor technology. Supercapacitors are used for regenerative braking systems, where they capture and store energy that would otherwise be lost during braking. This stored energy can then be used to power the vehicle, improving overall efficiency. Additionally, supercapacitors provide quick bursts of power for acceleration, reducing the load on the battery and extending its lifespan. In public transportation, such as buses and trams, supercapacitors enable rapid charging at stops, enhancing operational efficiency and reducing downtime. For instance, buses equipped with supercapacitors can charge quickly at each stop, using the stored energy to assist with acceleration and other high-power demands.

Industrial Applications

Supercapacitors find application in industrial environments for tasks such as power conditioning, uninterruptible power supplies (UPS), and energy recovery systems. Due to their high power density and quick response time, they are well-suited for applications that require immediate power delivery. Supercapacitors are utilized in manufacturing processes to offer backup power, guaranteeing uninterrupted functioning in the event of short power disruptions. Additionally, they are utilized in cranes and elevators to recuperate and recycle energy while in operation, hence augmenting energy

efficiency. Supercapacitors possess the ability to endure repeated charge and discharge cycles, rendering them highly suitable for applications that require utmost reliability and endurance.

Military and Aerospace

Supercapacitors are extensively utilized in the military and aerospace industries. Their capacity to provide substantial power in brief intervals is advantageous for applications such as missile launch systems, radar equipment, and electronic warfare devices. Supercapacitors find application in aerospace for their lightweight nature and high energy density. This allows for a notable reduction in the overall weight of satellites and space probes, resulting in cost savings during launch operations. Moreover, their dependability and extended lifespan are crucial in such rigorous settings where maintenance poses difficulties.

CHALLENGES AND FUTURE DIRECTIONS

Scalability and Cost

Although there have been notable improvements, the ability to scale up and the expense associated with new materials continue to be important obstacles. It is crucial to establish efficient and affordable techniques for manufacturing carbon nanotubes (CNTs), graphene, and nanostructured composites on a large scale in order to make them economically feasible for commercial use. There are ongoing efforts to discover more cost-effective ways of synthesis and to utilize components that are more readily available. Research on biomass-derived carbons seeks to offer sustainable and cost-effective alternatives for supercapacitor electrodes. Furthermore, it is imperative to establish production procedures capable of continuously producing superior materials in order to facilitate the widespread acceptance and utilization of improved supercapacitors.

Environmental and Safety Concerns

The environmental impact and safety of supercapacitor materials and manufacturing processes also require attention. Sustainable and eco-friendly materials, as well as green synthesis methods, are becoming increasingly important in the field. Additionally, ensuring the safety and reliability of supercapacitors in various applications is critical, particularly in consumer electronics and transportation. For example, the development of non-toxic and biodegradable electrolytes can enhance the environmental friendliness of supercapacitors. Research is also focused on minimizing the use of hazardous materials and developing recycling processes for end-of-life supercapacitors.

Integration with Emerging Technologies

Supercapacitor technology is expected to increasingly include developing technologies including flexible and wearable electronics, electric vehicles, and smart grids in the future. Increasing the compatibility of supercapacitors with these systems will stimulate additional innovation and acceptance. For instance, the development of flexible supercapacitors for wearable devices necessitates the use of materials that can sustain optimal performance even when subjected to mechanical deformation. Supercapacitors can be combined with batteries in electric vehicles to create hybrid energy storage systems that take advantage of the respective advantages of each technology. Supercapacitors have the potential to enhance the management of energy flow and increase the stability of smart grids.

Enhancing Energy Density

While supercapacitors excel in power density, enhancing their energy density remains a key area of research. Strategies include developing novel electrode materials, optimizing electrolyte compositions, and exploring new device architectures. The integration of lithium-ion capacitors, which combine the characteristics of supercapacitors and batteries, represents a promising approach to achieving higher energy densities. By leveraging the high power density of supercapacitors and the high energy density of batteries, lithium-ion capacitors offer a balanced solution for various applications. Research into new materials and designs, such as hybrid structures that incorporate both electric double-layer capacitance and pseudocapacitance, is ongoing.

Long-Term Stability

Ensuring the enduring stability and dependability of supercapacitors is crucial for their extensive acceptance. The research is centered on comprehending the degradation mechanisms of various materials and formulating solutions to improve their lifespan. This encompasses alterations made to the surface, application of protective layers, and the advancement of stronger electrolytes. Coating electrode materials with thin coatings of stable chemicals can shield them from degradation while cycling, hence prolonging the lifespan of the device. Furthermore, enhancing the compatibility between electrolytes and electrode materials can augment both the performance and stability.

Development of Flexible and Wearable Supercapacitors

The rise of wearable electronics and flexible devices has spurred interest in developing supercapacitors that can bend and stretch without losing functionality. These flexible supercapacitors are essential for powering next-generation wearable health monitors, flexible displays, and other portable devices. Research in this area focuses on developing new materials and fabrication techniques that allow supercapacitors to maintain high performance even when subjected to mechanical deformation. Advances in this field could lead to the commercialization of supercapacitors integrated into textiles, enabling the creation of smart clothing with embedded energy storage.

Enhancing Performance through Artificial Intelligence and Machine Learning

The utilization of artificial intelligence (AI) and machine learning (ML) technologies is progressively growing in order to expedite the advancement of supercapacitors. These technologies have the capability to analyze large datasets in order to detect patterns and enhance the attributes of materials, electrode architectures, and device configurations. Artificial intelligence (AI) powered simulations and machine learning (ML) algorithms have the ability to forecast the performance of novel materials and provide guidance for experimental endeavors. This can lead to a substantial reduction in the time and expenses involved in developing advanced supercapacitors for the future. This methodology has the potential to uncover new materials and improve the efficiency of current ones, hence boosting the overall functionality of supercapacitors.

Nanotechnology and Advanced Fabrication Techniques

Nanotechnology remains essential in the progress of supercapacitor technologies. Through the manipulation of materials at the nanoscale, scientists are able to produce electrodes that have greatly increased surface areas and tailored pore architectures. This results in better capacitance and improved ion transport. Researchers are investigating advanced manufacturing methods, like as 3D printing and atomic layer deposition, to develop intricate and high-performing electrode structures. These techniques provide a means to exert accurate control over the properties of materials and structures of devices, facilitating the creation of supercapacitors with customized performance attributes that are suitable for particular applications.

Environmental Sustainability and Green Chemistry

With the rising demand for supercapacitors, there is a growing focus on developing environmentally viable and eco-friendly methods for their production. Scientists are investigating the utilization of sustainable and biodegradable substances, such as carbons obtained from biomass and polymers derived from plants, in order to produce environmentally friendly supercapacitors. Furthermore, endeavors are underway to create eco-friendly synthesis techniques that minimize the utilization of hazardous substances and decrease energy use. These actions are essential for safeguarding environmental health while promoting the expansion of the supercapacitor sector.

Policy and Market Dynamics

The policy and market dynamics will have an impact on the commercialization and widespread use of supercapacitor technology. Government policies that support and encourage the use of renewable energy, energy efficiency, and advanced energy storage technologies can stimulate investment and

foster innovation in the supercapacitor industry. The market demand for energy storage systems that are high-performance, reliable, and environmentally friendly is expected to increase, presenting opportunity for enterprises capable of fulfilling these requirements. The cooperation of academics, industry, and government will be crucial for the progress of supercapacitor technology and the introduction of new goods to the market.

CONCLUSION

The transition from carbon-based materials to advanced composites signifies a substantial advancement in supercapacitor technology. The improvement has been propelled by ongoing advancements in the fields of material science, nanotechnology, and fabrication processes. Despite the persistent issues of cost, scalability, and environmental effect, the future of supercapacitors appears highly bright. Supercapacitors are already having a significant influence on several fields, including consumer electronics, renewable energy systems, transportation, and industrial applications. Due to their high power density, quick charge/discharge cycles, and long cycle life, they are essential for modern energy storage technologies. In the future, the combination of supercapacitors with upcoming technologies like flexible and wearable electronics, AI-based material optimization, and environmentally friendly chemistry methods will stimulate additional advancements. These technological developments will improve the efficiency, durability, and economic feasibility of supercapacitors, making them more widely used in various industries. Supercapacitors will have a vital part in tackling the global energy concerns as research and development endeavors persistently push the limits of what is achievable. Supercapacitors have the potential to make a substantial contribution to the advancement of a more sustainable and resilient energy system by providing efficient, dependable, and eco-friendly energy storage solutions.

REFERENCES

1. Conway BE. *Electrochemical Supercapacitors: Scientific Fundamentals and Technological Applications*. Kluwer Academic/Plenum Publishers; 1999.
2. Iijima S. Helical microtubules of graphitic carbon. *Nature*. 1991;354(6348):56–8.
3. Geim AK, Novoselov KS. The rise of graphene. *Nat Mater*. 2004;6(3):183–91.
4. Simon P, Gogotsi Y. Materials for electrochemical capacitors. *Nat Mater*. 2008;7(11):845–54.
5. Zhu Y, Murali S, Cai W, Li X, Suk JW, Potts JR, et al. Graphene and graphene oxide: Synthesis, properties, and applications. *Adv Mater*. 2011;22(35):3906–24.
6. Pech D, Brunet M, Durou H, Huang P, Mochalin V, Gogotsi Y, et al. Ultrahigh-power micrometre-sized supercapacitors based on onion-like carbon. *Nat Nanotechnol*. 2010;5(9):651–4.
7. Wang Y, Song Y, Xia Y. Electrochemical capacitors: mechanism, materials, systems, characterization and applications. *Chem Soc Rev*. 2012;41(2):797–828.
8. Zhang LL, Zhao XS. Carbon-based materials as supercapacitor electrodes. *Chem Soc Rev*. 2009;38(9):2520–31.
9. Liu C, Li F, Ma LP, Cheng HM. Advanced materials for energy storage. *Adv Mater*. 2010;22(8):E28–E62.
10. El-Kady MF, Strong V, Dubin S, Kaner RB. Laser scribing of high-performance and flexible graphene-based electrochemical capacitors. *Science*. 2012;335(6074):1326–30.
11. Miller JR, Simon P. Materials science: Electrochemical capacitors for energy management. *Science*. 2008;321(5889):651–2.
12. Roldán S, Blanco C, Granda M, Menéndez R, Santamaría R. Towards a further generation of high-energy carbon-based capacitors by using graphene-derived materials. *Nano Energy*. 2011;2(4):375–83.
13. Béguin F, Presser V, Balducci A, Frackowiak E. Carbons and electrolytes for advanced supercapacitors. *Adv Mater*. 2014;26(14):2219–51.
14. Zhai Y, Dou Y, Zhao D, Fulvio PF, Mayes RT, Dai S. Carbon materials for chemical capacitive energy storage. *Adv Mater*. 2011;23(42):4828–50.
15. Ghosh A, Lee YH. Carbon-based electrochemical capacitors. *ChemSusChem*. 2012;5(3):480–99.