

Research & Reviews: A Journal of Surgery

ISSN: 2319-3425

Research Article

Volume. 13, Issue 1, April 2024

Submission Date: 27 March 2024

Accepted Date: 29 March 2024

Published Date: 12 April 2024

A Surgical Exploration of the Mechanism and Regulation of the Respiratory System: A Conceptual Analysis

Dr Gyanendra k gupta^{1*}, professor and HOD, Department of kriya sharir
Shri Babu singh jay singh 2 PG Ayurvedic Medical College, Farrukhabad
Dr Gagan Devi, Associate Professor, Department of Rachna Sharir, Bharat
Ayurvedic Medical college and Hospital
Muzaffarnagar

Corresponding author: Dr Gyanendra k gupta gyanender.gupta@gmail.com

Abstract: :

The respiratory system plays a vital role in facilitating the movement of air in and out of the body, comprising a complex network of anatomical pathways. It is conventionally divided into two primary sections: the upper respiratory tract and the lower respiratory tract. Within the upper respiratory tract lie structures extending from the nasal passages down to the vocal cords, crucial for phonation. These vocal cords, composed of mucous membrane folds within the larynx, are instrumental in producing sound during speech.

In contrast, the lower respiratory tract encompasses critical components such as the trachea, bronchi, and lungs. The trachea serves as the primary airway, branching into bronchi, which further divide into bronchioles, facilitating air passage deep into the lungs. Within the lungs, the intricate network of alveoli allows for the exchange of gases, enabling oxygen uptake and carbon dioxide removal.

This article aims to delve deeply into the mechanisms and regulatory processes governing respiratory function. By exploring the intricacies of ventilation, gas exchange, and the role of respiratory muscles, it seeks to provide readers with a comprehensive understanding of the respiratory system's fundamental principles. Furthermore, it will shed light on regulatory mechanisms such as neural and hormonal control, highlighting the intricate interplay between various physiological factors that ensure efficient respiratory function.

Ultimately, by unraveling the complexities of the respiratory system, this article endeavors to equip readers with a solid foundation of knowledge, enabling them to appreciate the vital role

of respiration in maintaining overall health and well-being. Through a deeper understanding of its mechanisms and regulatory processes, readers can gain insights into how respiratory disorders arise and how they can be effectively managed and treated

Keywords: Respiratory, Anatomical, Nose, Vocalcords, Trachea, Bronchi and Mechanism .

INTRODUCTION:

Respiration denotes the exchange of gases between the body's cells and the surroundings, encompassing two main activities: pulmonary ventilation, also known as breathing, which entails the inhalation and exhalation of air into and out of the lungs, and the exchange of gases, which takes place within the lungs (external respiration) and in the tissues (internal respiration).[1]

Breathing involves supplying oxygen to the alveoli and removing carbon dioxide. In adults at rest, the respiratory rate typically ranges from 12 to 14 breaths per minute,

AIMS & OBJECTIVES:

To review basic concepts of anatomy and physiology of Respiratory system.

To study physiological basis of mechanism of respiration in detail.

MATERIALS & METHODS :

Since the present study is a literary research, different opinions available in Different modern physiological and anatomical texts on Respiration

consisting of two phases: inspiration and expiration. Inspiration is an active process where contraction of relevant muscles increases the size of the thoracic cavity, causing the chest wall to expand.

The expansion of the lungs results in a decrease in pressure within them, which leads to the inhalation of atmospheric air. Conversely, exhalation is a passive process where the muscles responsible for inhalation relax, enabling the elastic recoil of the thoracic wall and lungs to expel air. This article aims to delve into a detailed examination of the physiology of the respiratory system, focusing on its mechanisms and regulatory aspects

To understand regulation of respiration.

along with mechanism and regulation is compiled here for easy and clear understanding.

CONCEPTUAL STUDY

The mechanism of respiration involves the expansion of the lungs during inspiration, which occurs as the thoracic cavity enlarges in all directions due to the contraction of respiratory muscles. These muscles include:

A. Diaphragm: Inspiration begins with the contraction of the diaphragm, causing its central tendon to move downwards approximately 1.5cm, thereby increasing the vertical diameter of the chest[2]

At the same time, the lower ribs experience a slight upward movement, enhancing both the lateral and anteroposterior dimensions of the chest.. The descent of the diaphragm is accompanied by the downward displacement of abdominal contents, facilitated by the relaxation of abdominal muscles. During expiration, the diaphragm relaxes, allowing its dome to move upwards with the assistance of abdominal muscle contraction, which aids in pushing air out of the lungs.[3]

B. Intercostal muscles: Normal breathing primarily involves the diaphragm. However, during quiet inspiration, forced inspiration, and forced expiration, the external intercostal muscles become active. When these muscles contract, they elevate the front sections of the ribs, leading to a slight expansion in the anteroposterior diameter of the thoracic cage.[4]

Normal quiet expiration occurs passively as the intercostal muscles relax, but during forced expiration, contraction of the internal intercostal muscles pulls the upper ribs downward, altering their position.[5]

C. Rib movement: The ribs, which are nearly semicircular bones, articulate with the vertebrae at one end and with the sternum or costal cartilages at the other. Inhalation involves the lifting and forward movement of the sternum as a result of the upward motion of the rib shafts. This action leads to an expansion of the chest's anteroposterior diameter. The internal intercostal muscles aid in this elevation of the sternum during inhalation. Conversely, during expiration, depression of the rib shafts occurs, leading to the opposite effect

Ribs motion includes

Bucket handle motion (outwards&upwards swigs rotation) in lower ribs (7th to 10th) causes an increase in transverse diameter of the thorax.

Pump handle movements ie upwards movement in 2nd to 6th ribs, due to contraction of external intercostal muscles, they assume a more horizontal position causes increase in anteroposterior diameter. Moreover, by virtue of their curved (bowed) mid-part, causes an increase in the transverse diameter of the thorax.[6]

D. Accessory muscles of respiration: During forced inspiration many other muscles as scalenes, sternocleidomastoids stabilize the first ribs and upper sternum.

The abdominal muscles contract forcefully during forced expiration. During intense respiratory exertion, even the platysma muscle contributes to the process.

Exchange and transport of gases:

Exchange of respiratory gases: This takes place

i. In the lungs-External respiration

ii. In the tissues-Internal respiration

In the lungs, the exchange of respiratory gases occurs between the alveoli and the bloodstream. Oxygen moves from the alveoli into the blood, while carbon dioxide exits the blood and enters the alveoli. This exchange happens through bulk flow diffusion across the respiratory membrane, composed of the epithelium of the respiratory unit and the endothelium of the pulmonary capillary. In the tissues, exchange of respiratory gas takes place between the venous end of pulmonary capillary and arterial end of systemic capillary.[7]

Diffusing capacity: This term refers to the amount of gas that passes through the respiratory membrane per minute when there's a pressure difference of 1mm Hg. Diffusing capacity of oxygen is 21ml/minute/1mmHg and that of carbon dioxide is 400ml/minute/1mmHg.

Factors affecting diffusing capacity:

1. Pressure gradient
2. Solubility of gas in fluid medium
3. Total surface area of respiratory membrane
4. Molecular weight of the gas
5. Thickness of respiratory membrane.

Diffusion coefficient/Diffusion constant

It is described as a constant, serving as a factor of proportionality, that quantifies the substance's diffusion across a concentration gradient.

Fick law of diffusion: In accordance with this principle, the quantity of a substance traversing a specific area is directly related to the available surface area for diffusion, the concentration gradient, and the diffusion coefficient.

Oxygen Diffusion:

From Atmospheric Air to Alveoli: Oxygen diffuses from the atmosphere, where its partial pressure is 159 mmHg, into the alveoli where it's at 104 mmHg. This occurs due to a pressure gradient of 55 mmHg.[8]

From Alveoli to Blood: Oxygen moves from the alveoli, where its partial pressure is 104 mmHg, into the blood at the arterial end of pulmonary capillaries where it's at 40 mmHg. This process is aided by a pressure difference of 64 mmHg.

From Blood to Tissues: Oxygen diffuses from the blood at the venous end of pulmonary

capillaries, where its partial pressure is 40 mmHg, into the tissues where it's at 95 mmHg. The pressure gradient of 55 mmHg drives this diffusion.

Carbon Dioxide Diffusion:

From Blood to Alveoli: Carbon dioxide transitions from the bloodstream, where its partial pressure measures 46 mmHg, to the alveoli, where it stands at 40 mmHg. This movement occurs as a result of a pressure difference of 6 mmHg.

From Alveoli to Atmospheric Air: Carbon dioxide diffuses from the alveoli, where its partial pressure is 40 mmHg, into the atmosphere where it's at 0.3 mmHg. This occurs because of a pressure gradient of 39.7 mmHg.[9]

From Tissues to Blood: Carbon dioxide moves from the tissues, where its partial pressure is 46 mmHg, into the blood where it's at 40 mmHg. This happens due to a pressure gradient of 6 mmHg.

Respiratory Quotient:

This is the molar ratio of carbon dioxide production to oxygen consumption.

Transport of Respiratory Gases:

Blood carries oxygen from the alveoli to the body's cells and transports carbon dioxide from the cells to the lungs.

Transport of Oxygen:

Oxygen is transported in two forms by blood: dissolved in plasma water (about 3% of total) and combined with hemoglobin (about 97% of total).

When oxygen combines with hemoglobin, it attaches to the iron within the heme component of hemoglobin. Each hemoglobin molecule contains four iron atoms, each of which can bind with two oxygen molecules.

The oxygen-carrying capacity of hemoglobin is 1.34 ml/g, and the capacity of blood is about 19 ml per 100 ml, as hemoglobin is typically only about 95% saturated.

The oxygen-hemoglobin dissociation curve illustrates the relationship between oxygen partial pressure and the percentage saturation of hemoglobin

Usually, it takes on a sigmoidal shape, illustrating the alterations in hemoglobin's attraction to oxygen concerning the partial pressure of oxygen. At 100 mmHg partial pressure of oxygen, hemoglobin saturation is about 95%[10]

Factors affecting Oxygen-Haemoglobin dissociation curve: It is shifted to left or right by various factors.

1. Shifted to right: It indicates dissociation of oxygen from haemoglobin. It occurs in the following conditions,

- a. Decrease in PO_2
- b. Increase in PCO_2 (Bohr effect)
- c. Increase in H^+ concentration & decrease in PH of blood
- d. Increased body temperature

e.Excess DPG in RBC.

2.Shifted to left:It indicates association of oxygen by haemoglobin.It occurs in the following conditiond.

a.In fetal blood

b.Decrease in H^+ & increase in PH of blood.

Bohr effect:It was postulated by Christian Bohr in 1904.Bohr effect is the effect by which presence of carbon di oxide decreases the affinity of Hb for oxygen.

In the tissues,due to to continuous metabolism PCO_2 increases and PO_2 decreases.Due to this pressure gradient, CO_2 enters the blood and oxygen is released from the blood & Oxygen dissociation curve is shifted to right.

Transport of carbon di oxide:Carbon di oxide is transported in the blood in four ways.

1.As dissolved form-7%

2.As carbonic acid-negligible

3.As bicarbonate-63%

4.As carbamini compounds-30%

Dissolved Form: CO_2 enters the blood and dissolves in the plasma fluid, forming a simple solution.

Carbonic Acid: Some of the dissolved CO_2 in the plasma combines with water to create carbonic acid.

Bicarbonate Formation: Within red blood cells (RBCs), CO_2 combines rapidly with water to form carbonic acid catalyzed by the enzyme carbonic anhydrase. This carbonic acid then dissociates into bicarbonate ions and hydrogen ions. As the concentration of bicarbonate ions increases within the cell, they move into the plasma. To maintain ionic balance, chloride ions enter the RBCs, a phenomenon known as Chloride Shift or the Hamburger phenomenon.Only in lungs ,by reverse chloride shift,chloride ions are moved back into plasma from RBCs.and bicarbonate present in plasma is converted back in carbonic acid by combining with hydrogen ions.Carbonic acid dissociate into H_2O & CO_2 . CO_2 is then expelled out.

4.As carbamino compounds: CO_2 is transported in blood in combination with Hb as carbhaemoglobin & with plasma proteins as carbamino proteins.

Carbon di oxide dissociation curve:It is the curve that demonstrates the relationship between the partial pressure of CO_2 and quantity of CO_2 that combines with blood.

Haldane effect is the effect by which combination of oxygen with haemoglobin displaces carbon di oxide from Hb because it becomes strongly acidic. [5,6,7,8]

REGULATION OF RESPIRAION OR CONTROL OF VENTILATION:The normal rate of respiration in adult is 12-16 per minute,with a tidal volume of approx. 500ml.

Normal ,quiet regular breathing occurs because of two regulatory mechanism:

1.Nervous or Neural mechanism

2.Chemical mechanism

1.Nervous Mechanism or Nervous Regulation of Respiration:This is brought about by two systems.

i.Autonomic Control of Respiration

ii.Voluntary Control of Respiration

i. Autonomic Control of Respiration: This is by certain groups of neurons in medulla and pons constitute the medullary and pontine respiratory centres respectively.

a. Medullary Respiratory Center

b. Pontine Respiratory Center

a. Medullary Respiratory Center: It consists of

Dorsal respiratory group of neurons

Ventral respiratory group of neurons

This can be easily understood by table no 1, given below

Features	Dorsal group	Ventral group
Situation	Diffusely situated in nucleus of tractus solitarius.	In nucleus ambiguus & nucleus retroambiguus.
Type of Neurons	Inspiratory neurons	Inspiratory & Expiratory Neurons
Function	Always active Generate inspiratory ramp Has autorhythmic property	Inactive during quiet breathing Active during forced breathing.

Table No 1: Medullary Centers

b. Pontine Respiratory Center: It consists of

Apneustic Center

Pneumotaxic Center

This can be easily understood by table no 2, given below

Features	Apneustic Center	Pneumotaxic Center
Situation	Situated in reticular formation of lower pons	Situated in reticular formation of upper pons
Function	Increases depth of inspiration by acting directly on dorsal group neurons.	Increases respiratory rate by reducing the duration of inspiration. Control Medullary respiratory center, particularly dorsal group neurons through apneustic center.

Table No 2: Pontine Center

All these respiratory centers are bilaterally represented in the brain stem with same sided control and freely communicate with each other.

ii. Voluntary Control of Respiration: Respiration can be modified both in rate and or depth at will for a specific period only, for example : voluntary hyperventilation , breath holding , forceful inspiratory or expiratory efforts etc.

The pathway for such a control is via Corticospinal tract which originates from the cerebral cortex to end on spinal motor neurons innervating the respiratory group of muscles. Thus , this pathway bypasses the medullary respiratory neurons.

Factors Affecting the Respiratory Center:

I. Chemical Stimuli

II. Non Chemical Stimuli

I. Chemical Stimuli(Under Chemical Control of Respiration)

II. Non Chemical Stimuli

1. Afferent from higher centers:

i. Cerebral Cortex: Electrical Stimulation of certain areas of cerebral cortex will inhibit respiration but electrical stimulation of motor cortex stimulate respiration.

ii. Hypothalamus & Limbic System:

Pain and emotional disturbances acts through the hypothalamus and limbic system to stimulate the respiration.

Fever acts via hypothalamus , which acts on respiratory center and produce tachpnoea.

2. Vagal Afferents from inflation and deflation receptors in the lungs: These are stretch receptors located in the smooth muscles of the airways . They relay in the medulla via afferents in vagi.

3. Afferents from Pharynx, Trachea and Bronchi: Through out the airways, from trachea to respiratory bronchioles, there are endings of myelinated vagal afferents that function as Irritant receptors.

Stimulation of these receptors in respiratory zone, produces tachynoea and bronchoconstriction.

4. Afferents from baroreceptors and chemoreceptors: They are situated in aortic arch and carotid sinus.

Baro receptors: When they stimulated , causes inhibition of respiration by inhibiting respiratory center.

Chemo receptors(Carotid & Aortic bodies): When they get stimulated by chemicals(lack of oxygen or excess of CO_2) causes increase in rate and depth of respiration.

5. Afferents from Proprioceptors: Proprioceptors are stimulated during musculae exercise and send impulses to brain to cause hyperventilation.

2. Chemical Mechanism or Chemical Regulation of Respiration:

The chemical regulatory mechanism adjusts ventilation in such a way that the alveolar PCO_2 is kept constant , at normal value of 40mmHg. It also maintains the tension of O_2 , CO_2 and H^+ of blood.

These changes are mediated via respiratory chemoreceptors ie receptor cells in the carotid and aortic bodies, and in medulla that are sensitive to change in the blood chemistry and initiate impulses that stimulate respiratory center.

Respiratory chemoreceptors : These are of two types

Peripheral Chemoreceptors

Medullary Chemoreceptors[9,10]

These can be easily understand bt table no 3,given below

Features	Peripheral Chemoreceptors	Medullary Chemoreceptors
Location	There are two or more aortic bodies near arch of aorts and two carotid bodies ,one on each side near bifurcation of common carotid artery.	These are located on ventral surface of medulla near respiratory center but separate from it.
Innervation	Aortic bodies by aortic nerve(branch of X nerve) Carotid bodies by carotid sinus nerve(branch of IX nerve)	Nerve fibers from here directly project over to the respiratory center.
Stimulated by	i.increase arterial P _{CO} 2. ii.decrease arterial P _{CO} 2 iii.Cyanide iv.Nicotine	Manitude of stimulation is proportional to increase in H ⁺ locally. Inhibited by anaesthesia Cyanide & during sleep.
Effect of stimulation	i.increase in rate &depth of respiration hypertension &tachycardia ii.regulates the respiration from breath to breath. iii.Provides initial drive to increase respiration in response to increase in arterial P _{CO} 2.	i.increase in rate &depth of respiration only ii.regulates the respiration from minute to minute. iii.provide late drive to increase respiration in response to increase in arterial P _{CO} 2.

Table no 3:Chemoreceptors

Discussion & Result: As a concept respiration is the motor of life.Respiration has different meaning depending on where it takes place.In our lungs ,respiration refer to act of breathing,but in cell it means process that takes place inside cell and produce energy.Respiration as a process falls into three phases viz cellular respiration,transport of respiratory gases and ventilation.

Conclusion: The three fundamental principles of respiration, namely ventilation, perfusion, and diffusion, serve as cornerstone

concepts that aid physicians in comprehending both the physiology and pathology of the respiratory system. Ventilation pertains to the movement of air in and out of the lungs, ensuring an adequate exchange of oxygen and carbon dioxide. It involves the coordinated action of respiratory muscles, primarily the diaphragm and intercostal muscles, to expand and contract the thoracic cavity, facilitating inhalation and exhalation.

Perfusion refers to the circulation of blood through the pulmonary vasculature, enabling the transport of oxygen to tissues and the removal of carbon dioxide. Proper perfusion ensures that blood flow matches ventilation, optimizing gas exchange efficiency. Disruptions in perfusion can lead to conditions such as pulmonary embolism or pulmonary hypertension, impacting oxygenation and tissue oxygen delivery.

Diffusion involves the passive movement of gases, such as oxygen and carbon dioxide, across the alveolar-capillary membrane. Oxygen diffuses from the alveoli into the bloodstream, while carbon dioxide moves from the blood into the alveoli for exhalation. Understanding diffusion kinetics aids in diagnosing and managing conditions like pneumonia or pulmonary edema, where impaired gas exchange occurs due to alveolar damage or fluid accumulation.

By comprehensively assessing ventilation, perfusion, and diffusion, physicians can evaluate respiratory function and diagnose various respiratory disorders. Abnormalities in any of these principles can indicate underlying pathologies, guiding clinical decision-making and treatment strategies. Additionally, monitoring these parameters allows for the assessment of therapeutic interventions' efficacy, ensuring optimal respiratory support and patient care. Therefore, ventilation, perfusion, and diffusion serve as essential pillars in the holistic understanding and management of respiratory physiology and pathology.

Refrences:

1. Waugh A, Grant A, Ross and Wilson ANATOMY and PHYSIOLOGY in Health and Illness, 11th edition, Philadelphia, Churchill Livingstone Elsevier; 2011, P 238.
2. Sembulingam K, Sembulingam P, Essentials of Medical Physiology, Sixth edition, New Delhi; Jaypee Brothers Medical Publishers Ltd: 2012, P 682-685.
3. Jain AK. Textbook of Physiology, Vol. 1. 1st ed. Himachal Pradesh: Avichal Publishing Company ; 2006. P 360
4. Guyton and Hall, Textbook of Medical Physiology, 12th edition, Philadelphia An imprint of Elsevier ; 2011. P 485-512.
5. Chaudhuri K S, Concise Medical Physiology, 7th edition, Delhi ; New Central Book Agency Ltd 2011. P 133-162.
6. C C Chatterjee. Human Physiology, Vol. 1. 11th edition, CBS Publisher and distributor pvt ltd P 407-425.
7. Jain AK. Textbook of Physiology, Vol. 1. 1st ed. Himachal Pradesh: Avichal Publishing Company ; 2006. P 258-283.
8. Sembulingam K, Sembulingam P, Essentials of Medical Physiology, Seventh edition, New Delhi; Jaypee Brothers Medical Publishers Ltd: 2012, P 747-750.
9. Vidya Ratan, Handbook of Human physiology Seventh edition, New Delhi; Jaypee Brothers Medical Publishers Ltd: 2004, P 99-119.
10. VP Varshney Mona Bedi , Ghai Textbook of Practical Physiology Ninth edition, New Delhi; Jaypee Brothers Medical Publishers Ltd: 2019, P 110-127..